

AKN

阿莎麗夾鏈線
asar
PLASTIC CORPORATION

AKN-18-700-4(6)SP 三層相片袋名片袋封切機
**3-LAYER PHOTO POCKET & NAME CARD POCKET
MAKING MACHINE**



AKN-19-700SSPH 伺服馬達電腦式雙線資料袋封切機
**TWIN-LINE DATA POCKET (SHEET PROTECTOR)
SEALING & CUTTING MACHINE**

AKN-18-700-4(6)SP 三層相片袋名片袋封切機

3-LAYER PHOTO POCKET & NAME CARD POCKET MAKING MACHINE

AKN-19-700SSPH 伺服馬達電腦式雙線資料袋封切機

TWIN-LINE DATA POCKET (SHEET PROTECTOR) SEALING & CUTTING MACHINE

AKN

AKN-18-700-4(6)SP

機械特性：

- * 本機專為各種3層的相片、名片袋等各種資料袋設計，從原料到成品，可在全自動的生產線上完成，節省人工成本，增加產能。
- * 本機採用高品質，高效率的零件，配合各種控制監視系統在運轉中有任何問題皆可自動停機並發出警報，可避免浪費原料並保護機台。
- * 封口設備採用活動矽膠環帶設計，可使資料袋規格，樣式能夠多種變化，用途非常廣泛。
- * 封口裝置採用多組超音波封口，使產品封口美觀牢固、平整。
- * 入料架採用自動對邊裝置及全自動張力控制，操作簡單方便。
- * 本機可增加圓角打孔模具，配合電腦切邊作業，可做圓角相片袋。

The Machine Features:

- * This machine is designed especially for all kinds of 3-layer photo pocket, name card pocket and all kinds of data pocket. It may be completed on fully automatic production from material in-feeding to finish product which will save labor cost and increase production capacity.
- * This machine uses high quality and high performance parts to incorporate with all kinds of controlling and monitoring systems. If there is any trouble presented on the machine during operation, it will automatically stop and alarm to avoid wasting raw material and to protect the machine.
- * The sealing equipment is of special movable silicon ring belt design this may enable the data pocket to be in different specifications and types. The purpose of application covers a wide range.
- * The sealing equipment uses multiple sets of ultrasonic sealer to ensure sealing for product to be elegant, tighten and trim.
- * In-feeding stand uses auto edge tracing device and auto tension controller, it is easy and convenient to operate.
- * Corner rounding mould may be added to the machine, which incorporates computer cutting operation will be able to make round-corner photo pocket.

SPECIFICATION:

型號	MODEL	AKN-18-700-4SP	AKN-18-700-6SP	AKN-19-700SSPH
有效剪裁	Max-Cutting Size (WxL)	L:250-550 W:150-600 mm		635x1000 mm / 555x225 mm
封切厚度	Film Thickness	0.035~0.12 mm		0.01~0.1 mm
每分鐘產量	Output	30~80 pc/min		40~120x2 pc/min
動力	Driving Motor	8 HP		5 HP
電熱	Heater	2.0 KW		1.5 KW
全機備電	Power Required	6 KW	12 KW	4.75 KW
機械尺寸	Machine Dimension (LxWxH)	7120x1530x1900 mm		5590x1400x1650 mm
機械重量	Machine Weight	8000 KG	8500 KG	3500 KG

AKN-19-700SSPH

機械特性：

- * 本機式專為資料袋設計，採雙線作業從原料到成品，可在全自動的生產線上完成，節省人工成本，增加產能。
- * 本機採用特殊切刀與封刀同步動作，使生產的資料袋尺寸一致，封口整齊美觀，廢料率降至最低。
- * 本機可選擇採用各種精密耐用打孔模具，其故障率非常低，並配合伺服馬達電腦數值長度控制，使打孔位置非常準確不易跑位。
- * 本機採用品質，高效率的零件，配合各種監視系統在運轉中有任何問題皆可自動停機並發出警報，可避免浪費原料並保護機台。
- * 封口設備採用活動矽膠環帶設計，可使資料袋規格，樣式能夠多種變化，用途非常廣泛。

The Machine Features:

- * This unit designed especially for all kinds of data pocket from material infeeding to finished product. It may be completed on production line which will save labor cost and increase production capacity.
- * This unit uses special synchronous cutting and sealing to enable the size of the data bag on production to be of uniform, the sealing is neat and clean, and to reduce the waste material to the minimum.
- * This unit may choose to use all kinds of precision and durable punching mold with very low breakdown rate, and may match punching sensor movement to make very precise punching position which is uneasy to run off.
- * This unit uses high quality, high performance parts to incorporate with all kinds of control and monitor systems.
- * The sealing equipment is of special design which may enable the data pocket to be in different specifications and types, the purpose of application covers a wide range.

Asari 阿莎麗塑膠有限公司
PLASTIC CORPORATION

台南縣安定鄉中沙村中崙1之5號
No. 1-5, Jhonglun, Jhongsha Village, Anding Township,
Tainan County, Taiwan E-mail: sale@asari.com.tw
TEL: +886-6-5933566 FAX: +886-6-5933567
http://www.asari.com.tw http://www.asari.net.tw